A CATALOGUE OF FOSSIL FISH IN QUEENSLAND

SUSAN TURNER Queensland Museum

The first one hundred years of palaeoichthyology in Quccusland are over and yet the state of the science is still discovery. Very little is known of the fossil fish faunas and very few complete descriptions of those found have been made. There has never been a full-time palaeoichthyologist employed in the state even though fossil fish are of use in stratigraphical correlation and palaeogeo-

graphical studies.

This paper is a summary of the present knowledge of fossil fish faunas in Oueensland taken principally from the literature. Records are laid out chronologically, with synonymies where possible, after the style of the Fossilium Catalogus. Reference is made to Queensland specimens only, so full synonymies of some species well known outside the state e.g. Lanina appendiculata, are not given. In a few cases where only preliminary notice of forms has been made e.g. some placoderms, I have made only a chronological list. Otherwise classification follows various authors e.g. Nelson, 1976; Romer, 1966. This review is probably complete for most species but all references to merely 'fish fragments' or the like in the literature are not necessarily included. To do this would entail a more thorough review of all Geological Survey reports etc. If known to the author, the location of type, figured and other material is given.

My thanks to the Director of the Queensland Museum, Dr Alan Bartholomai; Dr Anne Kemp, Research Fellow, and to Mr. Andrew Rozefelds, Geology Section; and to the librarians of this museum and those of the Geology Dept., University of Queensland, for their help and provision of facilities to carry out this study.

PALAEOZOIC

The first agnathan remains to be found in the Southern Hemisphere were discovered in Queensland (Jones, in Pritchard & Reynolds 1964). These are microvertebrate remains, scales of thelodonts of Early Devonian age (see e.g. Turner et al. 1981). In the last 15 years, study of such

microvertebrate remains has become important for biostratigraphical work, especially in the Siluro-Devonian. New material, including thelodonts, acanthodians, sharks, placoderms and bony fishes are now being investigated principally from two areas, the Toko Syncline of the Georgina Basin and the Broken River embayment.

As yet no Silurian or Ordovician fish have been found in the state, whereas the latter are known from the Amadeus Basin, NT (Ritchie & Gilbert-Tomlinson 1977) and might be expected in Oueensland.

Upper Palaeozoic faunas are even less well known. Not one proper description of a fauna has been made, and there is doubt about the age of some of the fish-bearing rocks. The Telemon Formation, for example, has been referred to both Upper Devonian and Lower Carboniferous. Detailed study of the fish in these rocks should help to resolve this point. An interesting fauna of bony fishes from the Permian is to be described in the near future by K.S.W. Campbell and Lee Duy Phuoc of ANU, Canberra (Campbell 1981).

DEVONIAN

AGNATHA
THELODONTI
O. THELODONTIDA
F. TURINIIDAE

Turinia cf. T. pagei (Powrie, 1870)

1973 Turinia pagei: Jones in Turner, p. 573.
1981 Turinia cf. pagei: Turner et al., p. 54, Figs. 6-8.
1981 Turinia cf. pagei: Young & Gorter, p. 90.

MATERIAL: scales BMR CPC200979 Loc. GEO 65/28 Toomba Range, Toko Syncline, Georgina Basin.

AGE: Early Devonian, Emsian or older, Cravens Peak Beds.

Turinia australiensis Gross, 1971

1965 coelolepidid scales: Jones in Reynolds and Pritchard.

1965 fish scales: Reynolds, p. 13.

1967 coelolepidids: Johnstone et al., p. 610.

1967 isolepid fish scales: Hill, p. 615.

1968 Coelolepidae: Gilbert-Tomlinson, p. 201.

1972 Turinia: Strusz, p. 499.

1973 *Turinia* sp?: Jones in Halstead and Turner, p. 74.

1973 Turinia pagei in pars: Turner, p. 573.

1975 fish scales: Talent et al., p. 22.

1981 Turinia australiensis: Turner et al., p. 58-59, figs. 9-12.

1981 Turinia australiensis: Young & Gorter, p. 90.

MATERIAL: scales BMR CPC20071, 20080-85 Loc. shot point samples, W of Toko Range, Georgina Basin.

AGE: Early Devonian, Emsian or older, Cravens Peak Beds.

F. NIKOLIVIIDAE

Gampsolepis? sp.

1981 Gampsolepis? sp. undet.: Turner et al., p. 60, fig. 14.

MATERIAL: scale BMR CPC20086 Loc. GE065/28, Toomba Range, Georgina Basin.

AGE: Early Devonian, Emsian or older, Cravens Peak Beds.

PLACODERMI

O. ANTIARCHI

F. BOTHRIOLEPIDAE?

Bothriolepis? sp.

1936 Antiarch: Hills, p. 163, fig. 3.

1958 Asterolepis: Hills, p. 89.

1960 antiarchan fish remains: Hill and Denmead, p. 154.

1962 Antiarchan: White, p. 7.

1967 antiarchan fish: Hill, p. 615.

1967 Asterolepis?: Hill et al., p. d30, pl. DXV, fig. 1.

1968 Asterolepis: Gilbert-Tomlinson, p. 207.

1973 Antiarchan fish remains: Smart, p. 7. 1981 *Bothriolepis?* sp.: Young & Gorter, p. 90.

MATERIAL: median d. plate UQF13909 Loc. Gilberton distr.

AGE: Late Devonian, Gilberton Fm.

O. ARTHRODIRA

F. WUTTAGOONASPIDAE

Wuttagoonaspis sp.

1968 cf. Coccosteus: Gilbert-Tomlinson, p. 203.

1973 Wuttagoonaspis sp.: Ritchie, p. 70.

1981 Wuttagoonaspis sp.: Turner et al., p. 60.

1981 Wuttagoonaspis sp.: Young & Gorter, p. 90.

MATERIAL: BMR Loc. Toomba Range incl. GE065/28, Georgina Basin.

AGE: Early Devonian, Emsian or older, Cravens Peak Beds.

Placodermi various

1980 antiarch placoderm, and ? arthrodire: Wyatt & Jell, p. 211.

1981 pterichthyodid antiarch: Turner et al., p. 60; Young & Gorter, p. 90.

1981 phlyctaeniids: Turner et al., p. 60; Young & Gorter, p. 90

1981 large placoderms: Young & Gorter, p. 90.

1981 large brachythoracid: Young & Gorter, p. 90.

1981 antiarchs: Young & Gorter, p. 90.

MATERIAL: BMR, UQF Loc. Toomba Range, Georgina Basin, Burdekin — Star shelf and Broken River embayment, Colls. G.C. Young, J.S. Jell, and D.H. Wyatt.

AGE: L/M/U Devonian, incl. Cravens Peak Beds & Vanneck Fm.

ACANTHODII

O. ISCHNACANTHIDA

F. ISCHNACANTHIDAE

Gomphonchus sp.

1981 Gomphonchus: sp.: Turner et al., p. 60, fig. 14A-C.

MATERIAL: scales BMR CPC20087 Loc. GE065/28, Toomba Range, Georgina Basin.

AGE: Early Devonian, Emsian or older, Cravens Peak Beds.

O. CLIMATIIDA

F. CLIMATIIDAE

Nostolepis sp.

1981 Nostolepis sp.: Turner et al., p. 60, fig. 14D.

MATERIAL: scale BMR CPC20088 Loc. SP799, west of Toko Syncline.

AGE: Early Devonian, Emsian or older, Cravens Peak Beds.

Acanthodii various

1981 acanthodian spines: Turner et al., p. 60. 1981 acanthodian spines: Young & Gorter, p. 90.

MATERIAL: BMR Loc. Toomba Range, Georgina Basin.

AGE: Early Devonian, Emsian or older, Cravens Peak Beds.

'CROSSOPTER YGH'

O. STRUNIIFORMES (ONYCHODONTIFORMES)

Onychodontid undet.

1981 onychodontid scales: Young & Gorter, p. 90.

MATERIAL: BMR, UQF Loc. Toomba Range, Georgina Basin, also present in Broken River embayment (S.T.).

AGE: L/M. Devonian, incl. Cravens Peak Beds.

Crossopterygian undet.

1967 Crossopterygian dermal plate & dentary: Wyatt & Jell, p. 103.

MATERIAL: GSQ. Loc. nr Payne's Lagoon, Burdekin Basin.

AGE: Upper Devonian, nr base Dotswood Fm.

CARBONIFEROUS

ACANTHODII

O. CLIMATHDA?

F. GYRACANTHIIDAE

Gyracanthides murrayi Woodward, 1906

1890 spines: Musson in Etheridge, p. 72. (?).

1892 ?Ctenacanthus: Jack & Etheridge, p. 84. (?).

1892 ichthyodorulite fin spines: Jack & Etheridge, p. 138, 139.

1958 Gyracanthides type spine: Hills, p. 91.

1960 Gyracanthides murrayi: Hill & Denmead, p. 176.

1972 Gyracanthides murrayi: Olgers, p. 42.

MATERIAL: spines QMF6663, GSNSW? GSQ Locs. Bogantungan and Hannam's Gap; Lockington nr Springsure; N. Smithfield shaft, Deep Ck. Gympie distr. Colls incl. C.T. Musson, W.H. Rands, James Smith and A. Bartholomai.

AGE: L. Carboniferous, Star Beds, Ducabrook Fm.

ACTINOPTERYGII

O. PALAEONISCIFORMES

Palaeoniscidae gen. et sp. undet. and various

1890 Palaeoniscid: Etheridge, p. 72.

1891 Palaeoniscus: Rands, p. 16.

1892 ?Palaeoniscus: Jack & Etheridge, p. 136, 296.

*1892 Palaeoniscus Randsi Eth. fil. nom. nud.: Jack & Etheridge, p. 186.

1925-30 palaeoniscid: Howchin, p. 170.

1929 palaeoniscid fish scales: Reid.

1930 palaeoniscid fish scales: Reid.

1930 Palaeoniscid fish: Whitehouse, p. 31.

1952 Elonichthys: Hills.

1958 Palaeoniscid fish: Hills, p. 91.

1960 palaeoniscids: Hill & Denmead, p. 176, 177.

1964 *Elonichthys?* sp.: Hill & Woods, p. c26, pl. CXIV, figs. 14–15.

1964? Elonichthys: Woods, p. 68.

1964 Elonichthys: Veevers et al., p. 15.

1968 rhomboid scales: Gilbert-Tomlinson, p. 207.

1969 fish remains: Mollan et al., p. 13.

1969 Palaeoniscidae: Laseron, p. 117.

1972 palaeoniscid fish: Olgers, p. 42.

MATERIAL: GSNSW? GSQ incl. F8616, & L292 Loc. Bogantungan; rail cut, Hannam's Gap; Lornesleigh Stn; Springsure distr.; Ducabrook Hmstd, SE of Emerald; Mt Wyatt & Ukalunda. Colls. incl. C.T. Musson, W.H. Rands, James Smith.

AGE: L. Carboniferous, Ducabrook Fm., Star Beds; Telemon Fm. (U. Devonian?).

REMARKS: The type specimen of *P. randsi* is thought to be GSQ1522 but, as no description was given, all palaeoniscids have been placed together here.

PERMIAN

BRADYODONTI

F. COCHLIODONTIDAE

Deltodus? australis Etheridge fil., 1892.

*1892 Deltodus? australis Etheridge, in Jack & Etheridge, p. 93, 296, pl. 39, fig. 11. 1914? Deltodus australis: Chapman, p. 261 1958 Deltodus australis: Hills, p. 93.

MATERIAL: tooth plate QMF?, specimen not found. Loc. Rockhampton distr. Coll. de Vis

AGE: Permian, Gympie Series.

ACTINOPTERYGII O. PALAEONISCIFORMES

Palaeoniscidae gen. et spp. undet. 1981 palaeoniscids: Campbell, p. 41.

MATERIAL: ANU?, QMF Loc. Utah Corp. Blackwater Mine.

AGE: Permian.

1972 fish scales: Exon et al., p. 28.

MATERIAL: scales GSQ Loc. small creek 1.5 km ENE of Alpha Hmstd. S of Alpha.

AGE: Permian, Peawaddy Fm.

Summary Species list

DEVONIAN Acanthodii undet.

antiarchs brachythoracid Bothriolepis? sp. Gampsolepis? sp. Gomphonchus? sp. Nostolepis sp. onychodont Placodermi undet. phlyctaenid pterichthyodid

Turinia australiensis Gross,

1971

Turinia cf. T. pagei (Powrie,

1980)

Wuttagoonaspis sp.

CARBONIFEROUS Elonichthys?sp.

Gyracanthides murrayi Wood-

ward, 1906

Palaeoniscus randsi Etheridge

fil., 1892

Palaeoniscids undet.

PERMIAN Deltodus? australis Etheridge

fil. 1892

Palaeoniscids undet.

MESOZOIC

Our knowledge of these vertebrates in Queensland is somewhat better than that of the Palaeozoic. Even so, most of the work has been restricted to the early Cretaceous Rolling Downs Group of central and northern Queensland. Triassic fishes are described from only one site and no Jurassic fishes have been described to date.

TRIASSIC

DIPNOI

F. CERATODONTIDAE

Dipnoan gen. et sp. undet.

1970 dipnoan tooth plates: Bartholomai & Howie, p. 1063.

1972 dipnoan tooth plates: Howie, p. 51.

1972 Iungfish: Warren, p. 279, fig. 1.

1979 Iungfishes: Thulborn, p. 340.

1979 dipnoan tooth plates: Bartholomai, p. 225.

1980 tooth plates: Warren, p. 25.

1982 Jungfish tooth plates: Turner, p. 545.

MATERIAL: QM Loc. L78 The Crater, Rewan.

AGE: L. Triassic, Arcadia Fm, Rewan Gp.

ACTINOPTERYGII

F. SAURICHTIIYIDAE

Saurichthys cf. S. gigas (Woodward, 1890) 1982 Saurichthys cf. S. gigas: Turner, p. 545, pl. 1 A-B.

MATERIAL: portion of skull QMF11942 Loc. The Crater, Rewan

AGE: L. Triassic, Rewan Gp., Arcadia Fm.

Actinopterygian gen. et spp. undet.

1958 fragmentary remains: Hills, p. 94.

1972 actinopterygian scales in coprolites: Howie, p. 51.

1979 actinopterygian fishes: Thulborn, p. 341.

1980 patches of fish scales: Warren, p. 25.

1982 actinopterygian scales: Turner, p. 547.

MATERIAL: QM Loc. L78 The Crater, Rewan.

AGE: L. Triassic, Rewan Gp., Arcadia Fm.

CRETACEOUS

ELASMOBRANCHII

O. HYBODONTIFORMES? F. HYBODONTIDAE?

Hybodus? incussidens De Vis, 1911

*1911 Hybodus incussidens: de Vis, p. 18, pl. II, fig. 3.

1931 Hybodus incussidens: Wade, p. 121, 142. 1958 Hybodus incussidens: Hills, p. 99.

MATERIAL: incomplete tooth, QMF12194. Loc. O'Connell Creek, nr Richmond, Coll. F.L. Berney of Wyangaria.

AGE: L. Cretaceous, Albian, Rolling Downs Gp., in 'molluscan conglomerate'.

REMARKS: This tooth probably belongs to a modern shark genus.

Hybodus? sp.

1870 Hybodus?: Moore, p. 238, 240.

1892 Hybodus: Etheridge & Woodward, p. 2. 1925-30 Hybodus: Howchin, p. 317.

MATERIAL: teeth and scales, whereabouts unknown Loc. Wallumbilla, N. of Condamine

AGE: L. Cretaceous, Albian, Rolling Downs Gp.

REMARKS: Sent by Rev. W.B. Clarke, with Lepidotes (see p. 604), for display at the 1862 Exhibition but delayed at sea. Possibly with Moore's collection at Bristol City Museum (U.K.)

O. Galeiformes (Lamniformes) F. CARCHARIIDAE (ODONTASPIDIDAE)

Carcharias sp.

1967 Carcharias sp.: Hill et al., p. k26, pl. KXII, fig. 4.

MATERIAL: tooth OMF2265 Loc. Aramac.

AGE: L. Cretaceous, Albian, Toolebuc Lst?

F. ISURIDAE

'Corax' australis Chapman, 1909

*1909 Corax australis: Chapman, p. 435, 1 fig. 1914 Corax australis: Chapman, p. 267, fig. 124C.

1925-30 Corax australis: Howchin, p. 317.

1931 Corax: Wade, p. 121, 144.

1958 Corax australis: Hills, p. 99.

MATERIAL: tooth NMVP10974 Loc. Hamilton R., abt 40 mls from Boulia Coll. H.A.C. Webb, pres. G.H. Roche.

AGE: L. Cretaceous, Albain, Rolling Downs Gp.

Lamna appendiculata (Agassiz, 1843)

1885 Otodus appendiculatus: Etheridge, p. 8.

1888 Otodus appendiculatus: Etheridge, p. 157, 158, pl. 4, fig. 1.

1889 Otodus appendiculata: Woodward, p. 393.

1892 Otodus appendiculatus: Etheridge & Woodward, p. 2.

1892 Lamna appendiculata: Jack & Etheridge,

1894 Lanina appendiculata: Woodward, p. 144

1909 Lamna appendiculata: Chapman, p. 452.

1914 Lamna appendeulata: Chapman, p. 267.

1925-30 L. appendiculata: Howchin, p. 317.

1930 Lanina: Whitehouse, p. 37.

1931 Lamna appendiculata: Wade, p. 121.

1958 Lamna appendiculata: Hills, p. 99.

MATERIAL: tooth GSQ? Loc. Kamilaroy, Leichhardt distr. Coll. R.L. Jack.

AGE: L. Cretaceous, Albian, Rolling Downs Gp.

Lamna daviesi Etheridge fil., 1888

*1888 Lamna daviesii: Etheridge jun., p. 159, pl. 4, figs. 2-3.

1889 Lamna daviesii: Woodward, p. 410.

1892 L. daviesii: Etheridge & Woodward, p. 2.

1892 Lamna daviesii: Jack & Etheridge, p. 503.

1894 L. daviesii: Woodward. p. 444.

1909 Lamna daviesii: Chapman, p. 452.

1914 Lamna daviesii: Chapman, p. 267.

1914 Lamna daviesii: David, p. 284.

1925-30 L. daviesii: Howchin, p. 317.

1931 Lamna daviesii: Wade, p. 121.

1958 L. daviesii: Hills, p. 99.

1968 Lamna daviesii: Hill et al., p. k26, pl. KZII, fig. 5.

MATERIAL: Holotype QMF1021 Loc. Flinders R., Richmond Downs, Coll. de Vis.

AGE: Cretaceous, Albian, Toolebuc Lst?

Lamna sp.

1892 Lamna: Jack & Etheridge, p. 397. 1892 Otodus: Jack & Etheridge, p. 404.

MATERIAL: GSQ? Locs. on the Leichhardt R, 9 mls from mouth Gunpowder Ck; at 'Stone Hut' on Rockwood Ck.

AGE: L. Cretaceous, Albian, Rolling Downs Gp.

DIPNOI

F. CERATODONTIDAE

Ceratodus wollastoni Chapman, 1914

1981 *Ceratodus wollastoni:* Kemp & Molnar, p. 212, fig. 6.

MATERIAL: upper toothplate QMF10313 Loc. Winton

AGE: L. Cretaceous

ACTINOPTERYGII O. ASPIDORHYNCHIFORMES F. ASPIDORHYNCHIDAE

Aspidorhynchus sp.

1872 Aspidorhynchus sp.?: Etheridge, p. 346.

1888 Aspidorhynchus: Etheridge, p. 156.

1892 Aspidorhynchus: Etheridge & Woodward, p.2.

1892 Aspidorhynchus sp.: Jack & Etheridge, p. 412, 504.

1914 Aspidorhynchus sp.: David, p. 284.

1925-30 Aspidorhynchus: Howchin, p. 318.

1931 Aspidorhynchus: Wade, p. 142.

1932 Aspidorhynchus: Longman, p. 96.

1958 Aspidorhynchus: Hills, p. 99.

MATERIAL: original, probably QMF5663-5 Loc. Hughenden Stn. Coll. R. Daintree.

AGE: L. Cretaceous, Albian, Rolling Downs Gp.

REMARKS: This material may belong to Belonostomus sweeti and the two genera may, in fact, be synonymous.

Belonostomus sweeti Eth. fil. & Woodward, 1892.

*1892 Belonostomus sweeti: Etheridge jun. & Woodward, p. 3, pl. 1, figs. 1-7.

1892 Belonostomus sweeti: Jack & Etheridge, p. 407, 504.

1894 Belonostomus sweeti: Woodward, p. 444.

1895 Belonostomus sweeti: Woodward, p. 437.

1914 Belonostomus sweeti: Chapman, p. 267, fig. 124D.

1914 Belonostomus sweeti: David, p. 284.

1925-30 Belonostomus sweeti: Howchin, p. 317.

1928 Belonostomus sweeti: Wilkins, p. 284.

1929 Belonostomus sweeti: Chapman, p. 10.

1931 Belonostomus sweeti: Wade, p. 133.

1932 Belonostomus: Longman, p. 96.

1958 Belonostomus sweeti: Hills, p. 99.

1968 Belonostomus sweeti: Hill et al., p. k26, pl. KXII, fig. 3.

MATERIAL: holotype NMVP12988 George Sweet coll. 1889 Loc. Marathon Stn., Flinders R., C. Qld; BMNH P.7539 Geo. Sweet pres. 1895;

GSQ, D.P. Ryan coll. Loc. Hughenden; QMF5660 Loc. Pelican, 30 mls NW of Hughenden.

AGE: L. Cretaceous, Albian, Tambo Fm., Toolebuc Lst. Rolling Downs Gp.

O. Semionotiformes F. Semionotidae

Lepidotes sp. (?)

1870 Lepidotus: More, p. 238, 240.

1892 Lepidotus: Etheridge & Woodward, p. 2. 1925–30 Lepidotus: Howchin, p. 318.

MATERIAL: scales, whereabouts unknown Loc. Wallumbilla.

AGE: L. Cretaceous, Albian, Rolling Downs Gp.

TELEOSTEI

O. CLUPEIFORMES

F. ICHTHYODECTIDAE

Cladocyclus? sweeti Woodward, 1894.

*1894 Cladocyclus sweeti: Woodward, p. 445, pl. X, figs. 2–6.

1901 Cladocyclus sweeti: Woodward, p. 111.

1905 Cladocyclus sweeti: Etheridge, p. 7. 1931 Cladocyclus sweeti: Wade, p. 142.

1958 Cladocyclus sweeti: Wade, p. 142.

1965 Cladocyclus sweeti: Bardack, p. 54.

MATERIAL: scales, holotype NMVP15571, also P15572-5. Loc. Marathon Stn., Flinders R. Qld. Coll. George Sweet.

AGE: L. Cretaceous, Rolling Downs Gp?

REMARKS: Bardack (1965) doubts this is Cladocyclus, which appears to be restricted to the U. Cretaceous of S. America.

Xiphactinus australis (Woodward, 1894)

*1894 Portheus australis: Woodward, p. 444, pl. X, figs. 1, 1a.

1901 Portheus australis: Woodward, p. 97.

1905 Portheus australis: Etheridge, p. 7-8.

1913 Portheus australis: Longman, p. 94.

1914 Portheus: Chapman, p. 268.

1925-30 Portheus: Howchin, p. 318.

1928 (?) Portheus australis: Wilkins, p. 284.

1930 Portheus: Whitehouse, p. 37.

1931 Portheus australis: Wade, p. 142.

1932 Portheus: Longman, p. 96.

1958 Portheus australis: Hills, p. 99.

1962 Xiphactinus: Bardack, p. 387.

1965 Xiphactinus australis: Bardack, p. 10, 54. 1968 Xiphactinus australis: Hill et al., p. k26, pl. KXII, fig. 1.

1977 Xiphactinus: Patterson & Rosen, p. 89.

MATERIAL: Holotype GSQ F2445 Loc. Gidgery Creek, Clutha Stn., nr Hughenden. Pres. J. Burkitt, 2 specimens QMF, Flinders R., nr Hughenden. coll. S. Dunn; QMF1016, 6 mls NE of Richmond; MCZ 5402, Stewart's Creek, nr Hughenden.

AGE: L. Cretaceous, Albian, Rolling Downs Gp.

Ichthyodectid gen. et sp. indet.

1885 vertebrae of small teleost: Etheridge, p. 8. 1894 Teleostean vertebrae, *Cladocyclus swee-ti?*: Woodward, p. 447, pl. X, fig. 7.

1911 chirocentridian: de Vis, p. 11.

1932 unnamed vertebrae: Longman, p. 95.

MATERIAL: 5 caudal vertebrae QMF6139 Loc. Station Ck. Afton Downs.

AGE: L. Cretaceous, Rolling Downs Gp?

REMARKS: Woodward compares them with Cladocyclus gardneri but states that vertebrae of this form are met with in Portheus and Ichthyodectes.

F. PACHYRHIZODONTIDAE

Pachyrhizodus marathonensis (Eth. fil., 1905)

*1905 Ichthyodectes marathonensis: Etheridge, p. 8, pls. 1, II.

1913 Ichthyodectes marathonensis: Longman, p. 94.

1931 Ichthyodectes marathonensis: Wade, p. 133.

1932 Ichthyodectes: Longman, p. 96.

1958 Ichthyodectes marathonensis: Hills, p. 99.

1962 Pachyrhizodus marathonensis: Bardack, p. 387, fig. 1.

1965 Pachyrhizodus: Bardack, p. 10.

1968 Pachyrhizodus marathonensis: Hill et al., p. k26, pl. KXII, fig. 2.

1969 Pachyrhizodus marathonensis: Bartholomai, p. 249-63, figs. 46-9, pls. 14, 15.

1977 Pachyrhizodus marathonensis: Forey, p. 178, fig. 33.

MATERIAL: original now in AM, Plastotype AM cast L504 (also AMNH cast 7940) Loc. Flinders R., nr Marathon Stn. Coll. P.G. Black; QMF355 Flinders R., nr Hughenden; QMF3349 14 mls N of Springvale Stn., SE of

Boulia; QMF5705, F5687-90, & UQF10210 Boree Park Stn., nr Richmond; QMF5691 Sylvania Stn., nr Hughenden; QMF5692 Dinga Ding Stn., nr McKinlay; BMNH P55858.

AGE: L. Cretaceous, Albian, Rolling Downs Gp, Toolebuc Lst.

O. ELOPIFORMES F. ELOPIDAE?

Flindersichthys denmeadi Longman, 1932.

*1932 Flindersichthys denmeadi: Longman, p. 89, figs. 1–3, pls X–XI, figs. 1–3.

1958 Flindersichthys denmeadi: Hills, p. 99.

1962 Flindersichthys denmeadi: Bardack, p. 388.

MATERIAL: Holotype QMF2210, pres. H.W. Denmead 1931 Loc. 1 ml E of Richmond on Flinders R.; QMF986(?) vertebrae, Robert Poole, Alderley.

AGE: L. Cretaceous, U. Albian, Tambo Series.

SUP. O. ACANTHOPTERYGII

Acanthopterygian gen. et sp. indet.

1911 Acanthoperygian vertebrae: de Vis, p. 11.

MATERIAL: QMF? 4 abdominal vertebrae Coll. F.L. Berney of Wyangaria.

AGE: L. Cretaceous

Fish remains indet.

1870 small teeth of fishes: Moore, p. 234.

1870 enamelled spine-like bodies: Moore, p. 238.

1892 vertebrae teleostean: Jack & Etheridge, p. 397.

1909 indet. fish remains: Chapman, p. 452.

1960 fish remains: Hill & Denmead, p. 323.

1976 fish, ganoid scales: Day, pp. 138, 143.

MATERIAL: Loc. Wallumbilla (whereabouts unknown); NMV, Hamilton R., 40 mls from Boulia, coll. H.A.C. Webb; also probably in GSQ (1892) Kamilaroy; N of Roma, Mt. Lonsdale Hmstd & Burgagary Creek.

AGE: L. Cretaceous, Rolling Downs Gp, incl. Toolebuc Lst Member, also Doncaster & Minmi Members. Summary Species list

TRIASSIC actinopterygians undet.

Ceratodus sp?

Saurichthys sp. cf. S. gigas (Woodward, 1890)

CRETACEOUS acanthopterygian indet.

Aspidorhynchus?

Belonostomus sweeti Eth. & Woodward, 1892

Carcharias sp.

Ceratodus wollastoni Chapman,

Cladocyclus sweeti Woodward, 1894

Corax australis Chapman 1909 Flindersichthys denmeadi Longman, 1932

Hybodus? sp.

Hybodus? incussidens de Vis, 1911

ichthyodectid indet.

Lamna appendiculata Ag., 1834

Lamna daviesi Eth., 1888 Lamna sp.

Lepidotes sp?

Pachyrhizodus marathonensis

(Eth., 1905)

Xiphactinus australis (Woodward, 1894)

CAENOZOIC

The scientific literature on Tertiary fishes in Queensland was written almost exclusively by E. Sherborn Hills. However new work is being undertaken and there are several localities with fish material to be described. As in the Palaeozoic so in the Tertiary the study of microvertebrate remains has become important in recent years and such aspects as scale details and otoliths can be employed in stratigraphical work. The need for a good comparative collection of modern bony fish material is being met by the Queensland Museum.

DIPNOI

F. CERATODONTIDAE

Neoceratodus palmeri (Krefft, 1874) ?=N. forsteri (Krefft, 1870)

*1874 Ceratodus palmeri: Krefft, p. 292 or 293. 1884 Ceratodus forsteri: de Vis, p. 43, 2 pls.

1891 Ceratodus forsteri: Woodward, p. 274.

1892 Ceratodus forsteri: Jack & Etheridge, p. 635, 638, 647, 740.

1928 Epiceratodus forsteri: Longman, p. 170.

1928 Epiceratodus palmeri?: Longman, p. 171.

1940 Neoceratodus: Whitehouse, p. 24.

1958 E. palmeri: Hills, p. 103.

1960 Neoceratodus: Hill & Denmead, p. 393.

1970 Neoceratodus forsteri: Hill et al., p. cz14, pl. CzVII, fig. 4.

1981 Ceratodus palmeri: Kemp & Molnar, p. 211, figs. 2-3.

MATERIAL: original dental plate MF10537, also F1146-7, F10540 Loc. Darling Downs; QMF6564 3 mls SE of Chinchilla, Museum Colls 1883; QMF1148, 70 ft down well, Eight Mile Plains; Gregory R, Riversleigh.

AGE: Early Miocene? Pliocene — Recent, incl. Chinchilla Sand & Carl Creek Lst.

REMARKS: Dr. A. Kemp is currently studying these two forms which may be separate species.

Neoceratodus denticulatus (Hills, 1934)

1932 Epiceratodus: David, table 1.

*1934 Epiceratodus denticulatus: Hills, p. 157, figs. 1-2.

1943 Epiceratodus: Hills, p. 95.

1958 E. denticulatus: Hills, p. 103.

1960 Epiceratodus: Hill & Denmead, p. 346.

MATERIAL: 5 specimens, holotype QMF2347 Loc. Redbank Plains.

AGE: U. Eocene/Oligocene?, Redbank Plains Series, concretionary limonitic mudst.

REMARKS: Dr. A. Kemp after studying comparative material from S. Australia, believes that N. denticulatus is synonymous with N. gregorii (Anne Kemp, pers. comm. 1981).

'Epiceratodus'

1943 Epiceratodus sp.: Hills, p. 96, pl. IX, fig. 1.

1958 Epiceratodus sp.: Hills, p. 103.

1960 Epiceratodus: Hill & Denmead, p. 353.

MATERIAL: 'scale' GSQF1971 Loc. Bore 3, Munduran, The Narrows, Gladstone

AGE: Miocene?

REMARKS: Both Dr. Kemp and myself agree that this identification is suspect and that the 'scale' may be plant remains.

TELEOSTEI

F. OSTEOGLOSSIDAE

Phareoides queenslandicus (Hills, 1934)

*1934 Phareodus queenslandicus: Hills, p. 160, pls. XVII–X1X, figs. 3–7.

1943 Osteoglossid: Hills, p. 95.

1958 Phareodus queenslandicus: Hills, p. 100.

1960 Phareodus: Hill & Denmead, p. 346.

1970 Phareodus queenslandicus: Hill et al., p. cz14, pl. CzVII, fig. 2.

1973 Phareoides queenslandicus: Taverne, p. 497.

MATERIAL: 13 specimens, holotype QMF2357, also QMF2358-9, F2917, also GSQF1960 and UQF14960 Loc. Redbank Plains, and Cooper's Plains? Coll. F.W. Whitehouse.

AGE: U. Eocene/Oligocene?, Redbank Plains Series.

Scleropages aff. leichardti Gunther

1943 Scleropages aff. leichardti: Hills, p. 96, pl. 1X, fig. 2.

1958 Scleropages: Hills, p. 101.

1960 Scleropages: Hill & Denmead, p. 346.

MATERIAL: operculum GSQF1969 Loc. Bore 1, Munduran, The Narrows, Gladstone.

AGE: Miocene/Oligocene?

F. GONORHYNCHIDAE

Notogoneus parvus Hills, 1934.

*1934 Notogoneus parvus: Hills, p. 164, pl. XX, figs. 8-9.

1958 Notogoneus parvus: Hills, p. 100.

1960 Notogoneus: Hill & Denmead, p. 346.

1970 Notogoneus parvus: Hill et al., p. cz14, pl. CZVII, fig. 3.

MATERIAL: 5 specimens, holotype QMF2364 also QMF2362, 63, 65. Loc. Redbank Plains Coll. F.W. Whitehouse.

AGE: U. Eocene/Oligocene?, Redbank Plains Series.

F. PLOTOSIDAE

Tandanus sp.

1929 Tandanus sp. cf. tandanus: Longman, p. 249.

MATERIAL: ant. d. spine cf. recent 'Dewfish' QMF2120 Loc. Brigalow, Darling Downs Coll. Zeller Bros., 1929 well sinking; QMF1180 Chinchilla. AGE: Pleistocene?

REMARKS: Woods (in Hill & Denmead 1960, p. 394) mentions 3 species of fish from Fluviatile (Pleistocene?) deposits but does not elaborate.

F. PERCICHTHYIDAE (Moronidae)

Maccullochella macquariensis (?)

1929 Oligorus sp.: Longman, p. 249 1929 Oligorus macquariensis: Longman, p. 249.

MATERIAL: ant. d. spine QMF2122 Loc. Brigalow, Darling Downs Coll. Zeller Bros., 1929 well sinking: QM old collections Darling Downs.

AGE: Pleistocene?

REMARKS: This species may be the same as the Recent Murray Cod.

'Percalates' antiquus Hills, 1934

*1934 Percalates antiquus: Hills, p. 166, pls. XX1-XX1V, figs. 10-13.

1943 Percalates: Hills, p. 95.

1959 Percalates antiquus: Hills, p. 100

1960 Percalates: Hill & Denmead, p. 346.

MATERIAL: 19 specimens, holotype QMF2370 also QMF2366, F2374-2380, Loc. Redbank Plains Coll. F.W. Whitehouse.

AGE: U. Eocene/Oligocene?, Redbank Plains Series.

REMARKS: The generic status is uncertain: modern species of *Percalates* are now referred to *Macquaria*.

'Percalates' sp.

1970 Percalates sp.: Hill et al., p. cz14, pl. CZVII, fig. 1.

MATERIAL: QMF6565 Loc. Brittain's Q., Darra.

AGE: L. Tertiary, Darra Fm.

'Percalates' sp.

1943 Percalates sp.: Hills p. 97, pl. IX, fig. 4.

1958 Percalates: Hills, p. 101.

1960 Percalates: Hill & Denmead, p. 353.

MATERIAL: 2 scales GSQF1968 Loc. Bore 1, Munduran, The Narrows, Gladstone.

AGE: Miocene? (Oligocene?)

'Percalates'? sp.

1934 Percalates (?) Ramsay and Ogilby 1887: Hills, p. 168.

MATERIAL: fragmentary remains OM? or GSO Loc. W. of Strathpine, and E of Bald Hills nr edge Bald Hills Basin Coll. L.C. Ball.

AGE: Oligocenc?, oil shales.

'Percalates'?

1934 Genus indet./young Percalates?: Hills, p. 169. pl. XXV, fig. 14.

MATERIAL: half small fish GSQF1961 Loc. well, Portion 122, Parish of Bundamba, Coll. F.W. Whitehouse.

AGE: Oligocene?

Percoid indet.

1943 Indeterminate Percoid fish: Hills, p. 97, pl. 1X, fig. 5.

MATERIAL: scale GSQF1974 Loc. Parish of Wallbury; GSQF1970 220 ft, Bore 3, Munduran, The Narrows, Gladstone; GSQF1973 256 ft, Bore 3, Munduran.

AGE: Miocene? (Oligocene?)

F. THERAPONIDAE

Theraponid gen et sp. undet. 1981 theraponid: Turner, p. 40.

MATERIAL: otolith QMF12060 Loc. Rundle, E. Qld.

AGE: Oligocene?, Rundle Oil Shale Fm.

REMARKS: Identified by Dr R. Mackay.

F. LUTJANIDAE

Lutjanus sp. cf. L. erythropterus Bloch 1943 *Lutjanus* sp.: Hills, p. 97, pl. 1X, fig. 3. 1958 (?) Lutianus: Hills, p. 101. 1960 Lutjanus: Hill & Denmead, p. 353.

MATERIAL: preoperculum GSQF1967 Loc. Bore 1, Munduran, The Narrows, Gladstone.

AGE: Miocene?

REMARKS: Hills (1943) states this form to be comparable though larger than the Recent L. erythropterus.

Teleost Order indet.

1934 Order indet.: Hills, p. 170.

MATERIAL: fragments axial skeleton and fin spines QM? Loc. Redbank Plains.

AGE: U. Eocene/Oligocene?, Redbank Plains Series.

Fish Remains Indet

1900 fish remains: Dunstan, p. 16-17. 1901 fish remains: Dunstan, p. 20. 1916 fish remains: Dunstan, p. 9. 1934 fish remains: Hills, p. 155. 1943 fish remains: Hills, p. 95. 1960 fish: Hill & Denmead, p. 354.

MATERIAL: GSQ? Locs. between NW of Duaringa and Wallaroo: Darra.

AGE: L. Tertiary, Duaringa shales; Darra Fm.

REMARKS: Hills (1934) states that Dunstan's material was 'no longer available'.

SUMMARY SPECIES LIST

EOCENE/ Neoceratodus denticulatus (Hills, OLIGOCENE 1934)

Notogoneus parvus Hills, 1934

Order indet.

Phareoides queenslandicus (Hills,

1934)

'Percalates' antiquus Hills, 1934

'Percalates' sp. 'Percalates'? sp. theraponid

MIOCENE Lutjanus sp.

Neoceratodus sp. 'Percalates' sp. percoid

Scleropages aff. S. leichardti

PLIOCENE/ PŁEISTOCENE

Maccullochella macquariensis? Neoceratodus forsteri (Krefft,

1870) Neoceratodus palmeri (Krefft,

1874) Tandanus sp.

Abbreviations

Fossil collections: AM - Australian Museum, AMNH - American Museum of Natural History, ANU - Australian National University Geology Dept., BMNH - British Museum (Natural History), BMR - Bureau of Mineral Resources, GSNSW - Geological Survey New South Wales, GSQ - Geological Survey Queensland, MCZ -

Museum of Comparative Zoology, NMV – National Museum of Victoria, QM – Queensland Museum, UQ – University of Queensland Geology

Dept

abt – about, ant. – anterior, Ck – creek, Coll. – collector, d. – dorsal, distr. – district, Fm – Formation, ft – feet, Gp. – Group, Hmstd – homestead, incl. – including, L. – Lower, Loc. – locality, mls. – miles, nr – near, Pres. – presenter, Q. – quarry, R. – river, Stn. – station, U. – Upper, * denotes new taxon.

LITERATURE CITED

- BARDACK, D., 1962. Taxonomic status and geological position of the Cretaceous fish *Ichthyodectes marathonensis*. Aust. J. Sci. 24: 387-8.
 - 1965. Anatomy and Evolution of Chirocentrid Fishes. *Univ. Kansas Paleont. Contribs.*, *Vertebrata* 10: 1–88.
- BARTHOLOMAI, A., 1969. The Lower Cretaceous Elopoid Fish *Pachyrhizodus marathonensis* (Etheridge Jnr.). *In* 'Stratigraphy and Palaeontology. Essays in honour of Dorothy Hill.' Ed. K.S.W. Campbell, (Canberra: A.N.U. Press) 249-63.
 - 1979. New lizard-like reptiles from the Early Triassic of Queensland. *Alcheringa* 3: 225–34.
- BARTHOLOMAI, A. and A. HOWIE, 1970. Vertebrate fauna from the Lower Trias of Australia. *Nature* 225 (5237): 1063.
- CAMPBELL, K.S.W., 1981. Report from A.N.U. Nomen Nudum 10: 41.
- CHAPMAN, F., 1909. On the Occurrence of the Selachian Genus Corax in the Lower Cretaceous of Queensland. Proc. Roy. Soc. Victoria 21 (N.S.): 452-53.
 - 1914. 'Australasian Fossils. A Student's Manual of Palaeontology.' (Melbourne: Geo. Robertson & Co.) 1–341.
 - 1929. 'Illustrated Guide to the Collection of Fossils exhibited in the National Museum of Victoria.' (Melbourne: H.J. Green) 1-55.
- DAVID, T.W.E., 1914. Geology of the Commonwealth. *In* 'Federal Handbook of Australia.' (Melbourne: Government Printer). 241–325.
 - 1932. Explanatory Notes to Accompany a new Geological Map of the Commonwealth of Australia. (Sydney: Austr. Medical Pub. Co.) 1–177.
- DAY, R.W., 1976. Aptian and Albian macrofossils from the Mitchell and Roma 1:250,000 sheet areas. Appendix 1. Bull. Bur. Min. Resour. Geol. Geophys. 166: 137-50.

- DENISON, R.H., 1978. 'Placodermi.' Handbook of Paleoichthyology 5 (Stuttgart: Gustav Fischer Vg) i-vi, 1-128.
 - 1979. 'Acanthodii.' Handbook of Paleoichthyology 2 (Stuttgart: Gustav Fischer Vg) i-vi, 1-62.
- DE VIS, C.W., 1884. Ceratodus Forsteri, Post-Pliocene. Proc. Roy. Soc. Qd 1: 40–43. 1909. On Some Mesozoic Fossils. Anns Qd Mus. 10: 1–11.
- DUNSTAN, B., 1900. Notes on Fossil Fish at Duaringa, Central Railway Line. Geol. Surv. Qd Ann. Prog. Rep. 1900: 16-17.
 - 1901. Geology of the Dawson and Mackenzie Rivers, etc. *Qd Geol. Surv. Pub.* 155: 1-28.
 - 1916. Stratigraphical Features. In Tillyard's 'Mesozoic and Tertiary Insects of Queensland and New South Wales.' Qd Geol. Surv. Pub. 253: 1-10.
- ETHERIDGE, R., 1872. Description of the Palaeozoic and Mesozoic Fossils of Queensland. *Quart. J. Geol. Soc.* 28: 317-50.
- ETHERIDGE, R., fil., 1885. Appendix to R.L. Jack's Reports on the Geological Features of parts of the District to be transversed by the proposed Trans-Continental Railway. *Qd Parl. Papers* 1885: 22.
 - 1888. Descriptions of fish remains from the Rolling Downs Formation of Northern Queensland. *Proc. Linn. Soc. N.S.W.* (2) 3: 156-61.
 - 1890. Note on the Occurrence of Fish-remains in the Rocks of the Drummond Range, Central Queensland. *Rec. Geol. Surv. N.S.W.* II: 71–2.
 - 1905. Description of the mutilated cranium of a large fish from the Lower Cretaceous of Queensland. Rec. Aust. Mus. 6: 5-8.
- ETHERIDGE, R., fil. and A.S. WOODWARD, 1892. On the occurrence of the genus *Belonostomus* in the Rolling Downs Formation of Central Queensland. *Trans. Roy. Soc. Vict.* 2, 2: 1-7.
- EXON, N.F., M.C. GALLOWAY, D.J. CASEY and A.G. KIRKEGAARD, 1972. Geology of the Tambo and Augathella 1:250,000 sheet area. *Bur. Miner. Resour. Aust. Rep.* 143: 1-105.
- FOREY. P.L., 1977. The osteology of Notelops Woodward, Rhacolepis Agassiz, and Pachyrhizodus Dixon (Pisces, Teleostei). Bull. Brit. Mus. (Nat. Hist.), Geol. 28, 2: 123-204.
- GILBERT-TOMLINSON, J., 1968. A new record of *Bothriolepis* in the Northern Territory of Australia. *Bur. Miner. Resour. Aust. Bull* 80-11, (*Palaeont. Paps* 1965): 191-224.

HALSTEAD, L.B. and S. TURNER, 1973. Silurian and Devonian ostracoderms. In 'Atlas and Palaeobiogeography' ed. A. Hallam (Amsterdam:Elsevier) 67–79.

HILL, D., 1967. Devonian of Eastern Australia. Int. Symp. Dev. Syst., Calgary, 1: 613-30.

HILL, D and A.K. DENMEAD, 1960. The Geology of Queensland. J. Geol. Soc. Aust. 7: 1-474.

HILL, D., G. PLAYFORD and J.T. WOODS, 1967. Devonian Fossils of Queensland. (Brisbane: Qld. Palaeontogr. Soc.) 1-32.

1968. Cretaccous Fossils of Queensland (Brisbane: Qld. Palaeontogr. Soc.) 1-35.

1970. Cainozoic Fossils of Queensland. (Brisbane: Qld. Palaeontogr. Soc.) 1-36.

HILL, D and J.T. WOODS, 1964. Carboniferous Fossils of Queensland (Brisbane: Qld. Palaeontogr. Soc.) 1-32.

HILLS, E.S., 1934. Tertiary freshwater fishes from Southern Queensland. Mem. Qd Mus. 10:

157–74.

1936. Records and Descriptions of some Australian Devonian Fishes. *Proc. Roy. Soc. Vict.* 48 (N.S.), 11: 161–71.

1943. Tertiary freshwater fishes and crocodilian remains from Gladstone and Duaringa, Qld.

Mem. Qd Mus. 12: 95-100.

1952. In Shell (Old) Development Pty. Ltd. General report on investigations and operations carried out by the company in the search for oil in Queensland 1940–1961. Unpubl. Rep. Geol. Surv. Old.

1958. A Brief Review of Australian Fossil Vertebrates. *In* 'Studies on Fossil Vertebrates', ed. T.S. Westoll. (London: Athlone

Press) 86–107.

HOWCHIN, W., 1925–30. 'The Building of Australia.' (Adelaide: R.E.E. Rodgers) X1+1-750.

HOWIE, A.A. 1972. On a Queensland labyrinthodont. In 'Studies in Vertebrate Evolution', eds. K.A. Joysey & T.S. Kemp (Edinburgh: Oliver & Boyd) 50-64.

JACK, R.L. and R. ETHERIDGE, Jnr., 1892. 'The Geology and Palaeontology of Queensland and New Guinea. (Brisbane: Govt. Printer) XXX1 + 1-768.

JOHNSTONE, M.H., P.J. JONES, W.J. ROBERTS, J. GILBERT-TOMLINSON, J.J. VEEVERS, and A.T. WELLS, 1967. Devonian of Western and Central Queensland *Int. Symp. Dev. Syst.*, Calgary 1: 599–612.

KEMP, A. and R.E. MOLNAR, 1981. Neoceratodus forsteri from the Lower Cretaceous of New South Wales, Australia. J. Paleont. 55:

211-7.

KREFFT, G., 1870. Description of a giant amphibian allied to the genus *Lepidosiren* from the Wide Bay district, Queensland. *Proc. Zool. Soc. London*, 1870: 221-4.

1874. Ceratodus palmeri. Nature 9: 293.

LASERON, C. and R.O. BRUNNSCHWEILER, 1969. 'Ancient Australia'. (Sydney: Angus & Robertson) 1–253.

LONGMAN, H.A., 1913. Note on Portheus australis A.S. Woodward. Mem. Qd Mus. 2: 94.

1928. Discovery of juvenile lungfishes, with notes on *Epiceratodus*. Mem. Qd Mus. 9: 160-73.

1929. Palaeontological Notes. Specimens from a well at Brigalow. Mem. Qd Mus. 9: 247-51.1932. A new Cretaceous fish. Mem. Qd Mus.

10: 89–97.

MOLLAN, R.G., J.M., DICKENS, N.F. EXON, and A.K., KIRKEGAARD, 1969. Geology of Springsure 1:250,000 sheet area. Bur. Miner. Resour. Rep. 123: 1-119.

MOORE, C., 1870. Australian Geology and Palaeontology. Proc. Quart. J. Geol. Soc. 25:

226-61.

Nelson, J.S., 1976. 'Fishes of the World'. (New York: John Wiley & Sons) XIII + 1-416.

OLGERS, F. 1972. Geology of the Drummond Basin, Queensland. Bull. Bur. Miner. Resour. Geol. Geophys. Aust. 132: 1-72.

PATTERSON, C. and D.E. ROSEN, 1977. Review of Ichthyodectiform and other Mesozoic Fishes and the Theory and Practice of Classifying Fossils. *Bull. Amer. Mus. Nat. Hist.* **158**, 2: 81-172.

RANDS, W.H., 1891. Report on the Cape River Gold Field. By authority, Brisbane.

REID, J.H., 1929. Geology of the Bowen River Coalfield. Geol. Surv. Qld. Pub. 276: 1-107.

1930. The Queensland Upper Palaeozoic succession. Geol. Surv. Qld. Pub. 278: 1–96.

REYNOLDS, M.A., 1965. 1:250,000 Geological Scries Explanatory notes, Glenormiston, Qld. sheet SF/54-9: 1-22.

REYNOLDS, M.A. and P.W. PRITCHARD, 1964. The geology of the Glenormiston 1:250,000 sheet area. *Bur. Miner. Resour. Aust. Rec.* 1964/28 (unpubl.).

RITCHIE, A., 1973. Wuttagoonaspis gen. nov., an unusual arthrodire from the Devonian of western New South Wales, Australia.

Palaeontgr. 143A, 59-72.

RITCHIE, A., and J. GILBERT-TOMLINSON, 1977. First Ordovician vertebrates from the Southern Hemisphere. *Alcheringa* 1: 351-68.

- ROMER, A.S., 1966. 'Vertebrate Palaeontology'.

 3rd Ed (Chicago: Univ. Chicago Press)
 1-468.
- SHIRLEY, J., 1899. 'International Catalogue of Scientific Literature'. Queensland Volume. (Brisbane: E. Gregory).
- SMART, J., 1973. 1:250,000 Geological Series Explanatory notes, Gilberton, Qld. sheet E/54-16. 2nd Ed.
- STRUSZ, D.L., 1972. Correlation of the Lower Devonian Rocks of Australia. J. Geol. Soc. Aust. 18, 4: 427-55.
- TALENT, J.A., W.B.D.N. BERRY, A.J. BOUCOT, G.H. PACKHAM, and G.C.O. BISCHOFF, 1978. Correlation of the Silurian rocks of Australia, New Zealand and New Guinea. *Geol. Soc. Am. Spec. Pap.* **150**: 1–108.
- TAVERNE, L., 1973. Etablissement d'un genre nouveau, *Phareoides*, pour *Phareodus queenslandicus* Hills, E.S., 1934 (Pisces Osteoglossiformes) du Tertiare d'Australie, *Bull. Soc. Belge Geol. Paleont. Hydrol.* 82: 497–9.
- THULBORN, R.A., 1979. A proterosuchian thecodont from the Rewan Formation of Queensland. *Mem. Od Mus.* 19: 331-55.
- TURNER, S., 1973. Siluro-Devonian thelodonts from the Welsh Borderland. J. Geol. Soc. Lond, 129: 557-84.
 - 1981. Queensland Museum report. Bull. Soc. Vert. Paleo. 122, June: 39-40.
 - 1981. Saurichthys (Pisces, Actinopterygii) from the Early Triassic of Queensland. Mem. Qd Mus. 20: 545-51.
- TURNER, S., P.J. JONES and J.J. DRAPER, 1981. Early Devonian thelodonts (Agnatha) from the Toko Syncline, Western Queensland and a review of other Australian discoveries. *Bur. Miner. Resour. Austr. Geol. Geophys.* J. 6: 51-69.
- VEEVERS, J.J., R.G. MOLLAN, F. OLGERS and A.G. KIRKEGAARD, 1964. The Geology of the Emerald 1:250,000 sheet area, Queensland, Bur. Miner. Resour. Rep. 68: 1-71.
- WADE, R.T., 1931. The Fossil Fishes of the Australian Mesozoic Rocks. *Proc. Roy. Soc. N.S.W.* 64: 115-47.
- WARREN, A.A., 1972. Triassic Amphibians and Reptiles of Australia in Relation to Gondwanaland. Aust. Nat. Hist. 1972: 279-83.
 - 1980. Parotosuchus from the Early Triassic of Queensland and Western Australia. Alcheringa 4: 25-36.

- WHITE, D.A., 1962. 1:250,000 Geological Series Explantory notes, Gilberton, Qld. sheet E/54-16.
- WHITEHOUSE, R.W., 1930. 'The Geology of Queensland.' Handbook Austr. Assoc. Adv. Sci., (Brisbane: Govt. Printer) 23–39.
- 1940. Studics on the late geological history of Queensland. *Paps. Geol. Dept. Univ. Ad* 2, 1: 1-74
- WILKINS, G.H., 1928. 'Undiscovered Australia being an account of an expedition to tropical Australia to collect specimens of the rarer native fauna for the British Museum, 1923–1925.' (London: Ernest Benn Ltd) 1–292.
- WOODS, J.T., 1964. Fossil fish remains from two localities in the Emerald sheet area. Appendix 2. Bur. Miner. Resour. Rep. 68: 65.
- WOODWARD, A.S., 1889. 'Catalogue of Fossil Fishes Pt. 1.' (London: Brit. Mus (N.H.).
 - 1890. The Fossil Fishes of the Hawkesbury Series at Gosford. Mem. Geol. Surv. N.S.W., Palaeont. 4: 1-55.
 - 1891. 'Catalogue of Fossil Fishes Pt. 11'. (London: Brit. Mus. (N.H.)).
 - 1894. On some fish-remains of the genera *Portheus* and *Cladocyclus* from the Rolling Downs Formation (Lower Cretaceous) of Queensland. *Ann. Mag. Nat. Hist.* (6), 14: 444-47.
 - 1895. 'Catalogue of Fossil Fishes Pt. III. '(London: Brit, Mus (N.H.)).
 - 1901. 'Catalogue of Fossil Fishes Pt. IV. '(London: Brit. Mus. (N.H.)).
- WYATT, D.H. and J.S. JELL, 1967. Devonian of the Townsville Hinterland, Queensland, Australia. Int. Symp. Dev. Syst., Calgary, II: 99-105.
 - 1980. Devonian and Carboniferous stratigraphy of the Northern Tasman orogenic zone in the Townsville Hinterland, North Queensland. *In* 'The Geology and Geophysics of Northeastern Australia', eds, R.A. Henderson & P.J. Stephenson, (Townsville: Geol. Soc. Austr. Qld. Div.) 201–28.
- YOUNG, G.C. and J.D. GORTER, 1981. A new fish fauna of Middle Devonian age from the Taemas/Wee Jasper region of New South Wales. Bull. Bur. Miner. Resour. 209 (Palaeont. Paps 1981): 83-147.